





Orthopedic Implants



THE CHALLENGE:

Contamination:

Buffing compounds

Cleaning Expectations:

No debris visible with 10x microscope

Drying Expectations:

100% Dry

Part Acceptance Method:

Visual inspection with microscope

Production:

129 parts per hour

Loading / Unloading:

Manual

Preceding / Succeeding Ops:

Buffing & polishing

Footprint Constraints:

As small as possible

THE SOLUTION:

Equipment:

LeanJet RB-1 Cell Washer

Sequence:

Wash, rinse, line rinse, & dry

Cleaning Mechansims:

Spray, immersion, rotation & Ultrasonics

Drying Mechansim:

Heated high velocity air

Features:

Electro-polished cleaning chamber & carriage, Ultrasonics, enhanced solution & airs

filtration, conductivity controller, 180F solution, bar code reader & PLC / HMI

Actual Footprint:

6' long x 3'10" wide

Ransohoff (800) 248-9274 4933 Provident Drive Cincinnati, OH 45246 Blackstone-NEY Ultrasonics (800) 766-6606 P.O. Box 220 9 N. Main St. Jamestown, NY 14702-0220 CTG Asia (86)0512-66161698 56 Songshan Road Suzhou New District Jiangsu Province, China PRC: 215151